

# **1ER TORNEO NACIONAL DE TIRO PARA FF.CC.SS. MODALIDAD FUEGO CENTRAL.**

---



**POLÍGONO INDUSTRIAL CAMPO ALTO 03600 ELDA ALICANTE**

**PROXIMO AL CEMENTERIO NUEVO DE ELDA.**

**MODALIDADES:**

**FUEGO CENTRAL (DUELO) Y 9MM (VELOCIDAD). NORMAS ISSF.**

**FECHA: DIA 7 DE ABRIL DESDE 9.00 HASTA FINALIZAR.**

**INSCRIPCIÓN. 15 EUROS (INCLUYE ALMUERZO).**

**FECHA LIMITE PARA INSCRIPCIONES. 27 DE MARZO DE 2018.**

## 1.- LOCALIZACION DE LAS INSTALACIONES:

Las instalaciones están ubicadas en el polígono industrial CAMPO ALTO muy cerca del cementerio nuevo.

1.1 A-31 sentido Madrid –Alicante tomar salida 207 hacia comarcal CV83 dirección Monovar.



1.2 A-31 sentido Alicante-Madrid tomaran la salida 208 que pone LOMA BADA, a pocos metros existe una carretera a la izquierda que cruza la autovía por encima y enlaza con la CV83 dirección MONOVAR, polígonos industriales.





1.3 Seguir por CV83 hasta la salida ELDA POLIGONOS INDUSTRIALES.



1.4 SE ACCEDE A UNA ROTONDA, girando a la derecha nos llevara hasta el polígono industrial CAMPO ALTO.DIRECCION CEMENTERIO.





1.5 Entrar al Polígono Industrial Campo alto hasta un camino asfaltado a la derecha con un cartel de CANTINA EL TIRO.



1.7 Para los que tengan navegador introducir la calle BENELUX, y llevara hasta un cruce que pone CANTINA EL TIRO, GIRAR A LA DERECHA Y SEGUIR EL ASFALTADO

## **2.- PARTICIPACIÓN.**

Abierta a todos los miembros de las Fuerzas y Cuerpos de Seguridad. La participación será por equipos o individual. Cada equipo estará compuesto por TRES (3) Tiradores.

## **3.-CALENDARIO Y HORARIOS:**

Día 7 de Abril (sábado)

08:30 recibimiento a los participantes

09:00 Horas: Comienzo de los ejercicios. Las tandas serán de 8 participantes. Se irán completando a medida que vayan llegando los participantes

13:30 Horas: Clausura del Ejercicio

14:00 Comida y entrega de trofeos.

## **INSCRIPCIONES**

Según vayan llegando los participantes, se presentarán en el control de inscripciones y se les asignará tanda y puesto.

## **REGLAMENTACION**

Para el desarrollo de los distintos ejercicios regirán las normas establecidas por el Reglamento Técnico ISSF y las particulares de este torneo. La organización del Club de tiro Valle Elda informará a todo el personal participante de las normas establecidas para un correcto funcionamiento de la competición. Los casos no previstos que pudieran plantearse, serán resueltos por los jueces árbitros de la competición.



## **JUECES-ARBITROS.**

Los que se determine por la el club

## **MATERIAL**

Cada tirador deberá estar obligatoriamente provisto de:

- Pistola de calibre de 9mm o bien revólver del calibre 38spl.
- 1 Cargador para la pistola.
- **Protectores ópticos (gafas).**
- **Protectores auditivos (cascos o tapones)**
- CINCUENTA CARTUCHOS (50).

## **ARMAS Y MUNICIÓN.**

ARMAS:

La competición queda limitada a Pistolas y Revólveres para uso militar y policial. Se utilizarán las armas de dotación o en su defecto, las conocidas como “segunda arma”. Las armas de simple acción quedan descartadas.

También se permitirá el uso de armas guiadas como armas de concurso siempre y cuando cumplan las siguientes especificaciones:

- REVOLVERES 38spl: Deberán ser de doble acción.
- PISTOLAS 9mm parabellum: Pistolas de la división PRODUCCION (IPSC)  
<http://www.ipsc.org/rules/proddiv.php> Aquí podrá consultarse si el arma se ajusta a las especificaciones requeridas

## MUNICIÓN:

La munición correrá a cargo de los participantes debiendo ser ésta original.

**Queda expresamente prohibida la munición recargada.** Se examinara la misma en el puesto de tiro.

## PRUEBAS DE COMPETICION.

Se realizarán un máximo de 50 disparos a una distancia de 25 metros:

.-25 DISPAROS EN DUELO, de los que 5 serán de prueba.

.-25 DISPAROS EN VELOCIDAD, de los que cinco serán de prueba

El tiro se realizara de pie y a dos manos.

## CLASIFICACIONES.

Dada la naturaleza del evento se establecen dos:

.- Individual, con tres trofeos.

.- Equipos, con tres trofeos.

Para más información también se pueden poner en contacto con:



619.113.690

**La pista de ISPSC ACTION –AIRSOFT estará a disposición de los participantes, una vez hayan concluido su tirada**





## **1.1 ANEXO I**

### **1.2 NORMAS DE SEGURIDAD DE OBLIGADO CUMPLIMIENTO**

El acceso a las instalaciones de la Delegación Provincial de Tiro Olímpico se efectuará siguiendo las indicaciones siguientes:

#### **INSTALACIONES DEL CLUB DE TIRO VALLE ELDA.**

- Los participantes, se abstendrán de exhibir las armas en el interior de las instalaciones, ya sea portándolas al cinto o de otra forma.
- Las armas estarán en todo momento en su caja o recipiente que las contenga.
- En el interior de la zona habilitada para desarrollar los ejercicios, las armas estarán dentro de su caja, desmunicionadas y con el cargador vacío, que permanecerá sobre la mesa de tiro hasta que el Sr. Juez árbitro ordene lo contrario.

### **1.3 INTERIOR DE LA GALERÍA DE TIRO.**

Se estará a las órdenes del Sr Juez Arbitro.

La galería se compone de 8 puestos. Cada concursante ocupará el puesto que se le designe por orden de llegada. Sobre la mesa depositarán la caja con su arma dentro, la munición y el cargador vacío. El arma no se extraerá hasta que lo ordene el Sr Juez Arbitro.

## 1er TORNEO NACIONAL DE TIRO PARA FF.CC.SS

Nombre :	
Apellidos:	
Cuerpo:	
PLANTILLA:	
Teléfono de contacto:	
E-mail de contacto:	
Arma:	
Marca y modelo:	
Calibre	
SI FORMA PARTE DE UN EQUIPO, INDIQUE NOMBRE DEL MISMO:	

Remitir a email del club [tirovallelda@yahoo.es](mailto:tirovallelda@yahoo.es) junto con justificante de ingreso BANCARIO.

Importe de la comida a ingresar junto con la inscripción. Si no desea comida abonar solo la inscripción.

☐ IMPORTE INSCRIPCION: 15 euros

☐ IMPORTE COMIDA: 15 euros

Datos bancarios: IBAN ES30 3029 7248 4927 2000 2390

CONCEPTO: TORNEO TIRO FF.CC.SS 2018

CAIXA PETRER Avd. Padre Manjón (Elda)

## LISTADO DE LA DIVISION PRODUCCION (IPSC)

Make	Model
<a href="#">AKDAL ARMS</a>	Ghost TR01, TR02, TR03, TR07, TR08
<a href="#">ALFA-PROJ</a>	Alfa Combat, Alfa Defender
<a href="#">ARCUS</a>	98
<a href="#">AREX</a>	Zero 1, Zero 5.0, Zero 1S, Zero 1T, Zero 1CP.
<a href="#">ARMALITE</a>	AR24, AR24K
ARMS MORAVIA	G2000
<a href="#">ARMSCOR</a>	AP9, AP9MS, APP9, APP9MS, MAP1, MAP1FS, MAP1MS, MAPP1
<a href="#">ARSENAL FIREARMS</a>	Strike One, Strike One Combat, Strike One Speed, Stryk B.
<a href="#">ASAI AG</a>	onePRO
<a href="#">ASTRA</a>	A75, A100
<a href="#">BAIKAL</a>	MP446, MP446C
<a href="#">BB TECH</a>	BB6,
<a href="#">BERETTA</a>	<p>92 Series full size frame (including 92, 92D, 92DS, 92F, 92FS, 92S, 92SB, 92SB-F, 92GSD, 92FS Brigadier, 92G, 92G Elite, 92G Elite II, 92FS Centurion, 92D Centurion, 92G Centurion, 92 Stock, 92EL, 90Two, 92A1, M9, M9A1, M9A3)</p> <p>92 Series compact frame (including 92L Compact, 92SB Compact, 92L Compact M, 92SB compact M, 92 Custom Carry)</p> <p>96 Series full size frame (including 96, 96D, 96DS, 96G, 96 Brigadier, 96D Brigadier, 96G Brigadier, 96G Elite, 96G Elite II, 96G-SD, 96 Centurion, 96D Centurion, 96 Stock), 96A1</p> <p>96 Series Compact frame (including 96L Compact, 96L Compact M, 96D Compact, 96D Compact M)</p> <p>98 Series (including 98F, 98FS, 98FS Brigadier, 98 Deluxe, 98 Stock, 98FS-A1)</p> <p>Vertec series (including 92G, 92FS, 92 Elite 1A, 92 Steel, 96G, 96FS, 96 Elite 1A, 96 Steel, 98 Steel)</p> <p>Cougar Series (including 8000 D/DL/FL/LP/Mini, 8040 D/F/Mini, 8045 D/F/Mini, 8357 D/F)</p> <p>9000S Series (including Type D &amp; F)</p> <p>PX4 Storm, APX</p> <p><b>NOT APPROVED:</b> single-action-only variants or laser equipped models  <b>NOT APPROVED:</b> Wilson Combat (or other custom shop) variants of any approved model above</p>

<a href="#">BERNARDELLI</a>	2000, 2000 Baby
<a href="#">BERSA</a>	Thunder 9, Thunder 40, Mini T9/T40, Thunder PRO/XT, BP9CC, TPR9.
<a href="#">BROWNING</a>	BDM, BDA, PRO9, PRO40  <b>NOT APPROVED:</b> Hi-Power
<a href="#">BUL</a>	Cherokee (full size, compact & mini), Impact, Storm
<a href="#">CANIK</a>	Mkek series (Standard, Light, Compact), Piranha series (F, C, CF), Shark series C, Stingray C, Dolphin, SFC-100, TP9V2, TP40V2, P120 (except SAO version).  <b>NOT APPROVED:</b> Shark FC, TP9SA, TP9SF, TP9SFx,
<a href="#">CARACAL</a>	F, C, SC, CP660, CP661, CP662  <b>NOT APPROVED:</b> CP663, CP664 (due to lack of availability for inspection in early 2017).
<a href="#">COLT</a>	2000, Double Eagle  Also approved: any DAO or DA/SA revolver with a barrel length of up to 127mm
<a href="#">CZ - CESKA STRAKONICE</a>	ST9, TT9, TT40, TT45, MT9, MT9L
<a href="#">CZ - CESKA ZBROJOVKA</a>	CZ75B Omega, CZ75 P-02, CZ75, <b>CZ75B</b> , CZ75B Stainless, CZ75BD, CZ75BD Police, CZ75 Compact, CZ75D Compact, CZ75 SemiCompact, CZ75 Combat II, CZ85, CZ85B, CZ85 Combat  CZ40B, CZ97B, CZ99, CZ100, CZ110, CZ2075 Rami, CZ2075D Rami, CZ2075 Rami P  CZ75 P01, P07, P07 Duty, P09, CZ75 SP-01, CZ75 SP-01 Tactical, CZ75 SP-01 Shadow, CZ75 SP01 Dual Tone, CZ75 SP-01 Sport (9x21mm version with OFM trigger stop as sold in Italy), CZ75 SP-01 Phantom, CZ75 SP-01 Shadow TR, CZ75 SP-01 Shadow Orange, Shadow 2, Shadow 2 Urban Grey, P10C.  Also approved: variants with original (CZUB) barrels which are longer than standard (e.g. SP-01A, SP-01DK), provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules.  Also approved: original (CZUB) dual tone, coloured frame, and Shadow Line variants of approved models.  <b>NOT APPROVED:</b> CZ-USA and CZ Custom Shop variants (e.g. SP-01 Shadow Target, CZ 75 Shadow T, CZ 75 SP01 ACCU Shadow etc.)  <b>NOT APPROVED:</b> Frankonia models (e.g. Mamba, Viper etc.).
<a href="#">CZECHPOINT</a>	<b>NOT APPROVED:</b> VZ-15 (due to lack of availability for inspection in early 2017).
<a href="#">DAEWOO</a>	DP51, DH40
<a href="#">DESERT EAGLE</a>	Eagle Compact, Baby Eagle, Baby Desert Eagle III.
<a href="#">DIAMONDBACK</a>	FS9



DLASK	P226 clone
<a href="#">EAA</a>	<p>Witness Steel, Polymer, P, PS, P Carry, Classic, Limited Pro, Elite Stock, Stock II, Stock III, Pavona, Extreme Witness Stock 2, Extreme Witness Stock 3</p> <p>Also approved: compact versions of the above models</p> <p><b>NOT APPROVED:</b> Witness Carry Comp, Gold, Silver and Limited</p>
FEG	P9R, P9RK
<a href="#">FMK FIREARMS</a>	9C1 G2 (DAO),
<a href="#">FN HERSTAL</a>	<p>FNP-9, FNP-9M, FNP-40, FNP-40M, FNP-9 DAO, FNP-40 DAO, FNP-45, FNP9-17 SA/DA, FNX9, FNX40, FNX45</p> <p>FNS, FNS-9MS, FNS-40MS, FNS-40L, FNS-9L (aka "Longslide", previously FNS-9 Competition)</p> <p><b>NOT APPROVED:</b> FNX45 Tactical</p>
<a href="#">GIRSAN</a>	<p>Bora, Bora Light, Compact MC, Compact MKEK, Regard MC, Regard MKEK, Zirve,</p> <p>MC23, MC23.40, MC23.45, MC27, MC-C40, MC-R40, MC-28SA , MC-28SAC, MC-28SAS, MC-28SACS</p>
<a href="#">GLOCK</a>	<p>17, 17M, 19, 19M, 20, 21, 22, 23, 26, 27, 29, 30, 30S, 31, 32, 33, 36, 37, 38, 39, 43.</p> <p>Also approved: variants with original Glock barrels which are longer than standard (e.g. 17A, 17DK), as well as variants with "Tactical", "Mariner" or similar OFM engravings on the slide, provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules.</p> <p>Also approved: Gen 4 and SF versions of above models. Also approved: MOS (Italy: FTO) versions but without optics fitted. Also approved: TB versions of approved models, provided the barrel length does not exceed 127mm.</p> <p><b>NOT APPROVED:</b> 17TB, 18, 24, 25, 28, 34, 35, 41, 42, Pro, L, C models</p>
<a href="#">GRAND POWER</a>	<p>K100, K100P40, K100P45, K100MK6, K100 Dynamic, K100MK7, K100 Target, K100 X-TRIM, P1, P1MK7, P1Ultra, GPC9, P11, P40L, P45L, Q100.</p> <p>X-Calibur (originally approved with barrel length checked with a caliper -- remains approved even if the "dowel" method returns a different result)</p> <p>Also approved are variants with original Grand Power barrels which are longer than standard, provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules.</p>
<a href="#">HECKLER &amp; KOCH</a>	<p>USP, USP Stainless, USP Compact, USP Compact Stainless, USP Custom Sport, USP9SD, USP Tactical (barrel 127mm or shorter), USP Compact Tactical, HK45, HK45 Compact</p>

	VP70Z, P8, P9S (only with 100mm barrel), P10, P2000, P2000SK, P30, P30L, P30S, P30LS, P7M8 (EP7 in Greece), P7M10, P7M13, VP9, VP9 Tactical, VP40, SFP9, SFP9-SF, SFP9-SFSD, SFP9L, SFP9-SK, SFP9-M, SFP9-OR, ,  <b>NOT APPROVED:</b> Mark 23, USP Elite, USP Expert, USP Production, USP Combat Competition
<a href="#">HS PRODUKT</a>	HS2000 Series (HS9, HS357, HS40, HS45)  XDM (except ported models)  <b>NOT APPROVED:</b> XDM 5.25 Series
<a href="#">HUDSON</a>	H9,
<a href="#">IMI</a>	Barak 9, Barak 40, Barak 45
<a href="#">INDUMIL</a>	Cordova
<a href="#">JERICHO</a>	941, 941S, 941F, 941FS, 941FB, 941FBL, 941R, 941RB, 941RS, 941PL/RPL, 941PSL/RPSL, 941FBL/RBL
<a href="#">KAHR</a>	K Series (9mm,40cal, Lady & Elite), MK Series (9mm, 40cal, Micro & Elite), P Series (9mm and 40 cal), PM Series (9mm), T Series (Target & Tactical), TP Series
<a href="#">KALASHNIKOV</a>	<b>NOT APPROVED:</b> PL14 (due to unavailability for inspection in early 2017).
<a href="#">KBP</a>	GSh18
<a href="#">KEL-TEC</a>	P11, P40
LLAMA	M-82
<a href="#">MAGNUM RESEARCH</a>	SP21 (9mm,40SW,45ACP), MR Eagle
<a href="#">MANURHIN</a>	MR73 revolvers (3" G3 and 4" G4 models only)
<a href="#">NORINCO</a>	NC226, NP18, NP22, NP34, NP40, NP58, NZ75, NZ85
<a href="#">PARA-ORDNANCE</a>	LDA  <b>NOT APPROVED:</b> Tac-Five and other variants with enlarged magwells
<a href="#">REMINGTON</a>	RP9,
REPUBLIC ARMS	Patriot
<a href="#">RUGER</a>	P85, P89, KP89, P90, KP90, P91, KP93, P94, P95, K94/95, KP95, P345, KP345, KP345PR, P97, SR9, SR9C, SR40, KBSR9, LC9, P944, KP944, BSR45, KSR45, 9E, American,  Also approved: any DAO or DA/SA revolver with a barrel length of up to 127mm
RWTS	<b>NOT APPROVED:</b> "Soratnik" (due to lack of availability for inspection in early 2017).
<a href="#">SARSILMAZ</a>	Kilinc 2000, Kilinc 2000 Light, Hancer 2000, Hancer 2000 Light, K2, K10, K10C, B6, B6C, CM9, ST10 (not Tactical version)
<a href="#">SCHMEISSER</a>	SLP-9,

<a href="#">SIG</a>	<p>P220, P220-1, P224, P225, P228, P229, P239, P250, P250DCc, SP2009, SPC2009, SP2020, SP2022, SP2340, P320, P320 Carry, P320 Nitron, P320 RX (without optic), P930, P227 series (various models), MK25 (without optic).</p> <p>P226, P226 Tactical Operations, P226 E2, P226ST, P226 Sport II SL ohne Schiene, P226SL, P226SL Black, P226 X-Five Allround, P226 X-Five Tactical (not SAO version), P226R DAK, P226DAO, P226R, P226R Two Tone, P226 SAS, P226 Blackwater, P226 Equinox, P226 Stainless, P226 AL-SO, P226 SL-SO, P226 Sport Stock, P226 X-Five SO (SA/DA version only), P226 X-Five AL SO (SA/DA version), P226 Navy, P226 SCT, P226 Elite, P226 Blackwater Tactical, P226 Combat, P226 Combat TB, P226 USPSA (Black &amp; Two Tone), P226 Platinum Elite, P226 Enhanced Elite, P226 Elite Dark, P226 Gadsden, P226-SL-SO-BT, P226-MK25, P226 Elite Stainless, P226 Elite Dark TB, P226 Scorpion, P226 Scorpion TB, P226 X-Five SO Capsicum, P226 Extreme, P226 LDC,</p> <p>Also approved: models listed above without the "P226" designation engraved on their slide provided the gun configuration is otherwise identical. Also approved are P220, P229, P239 and Legion series variants of approved models models with maximum 127 mm barrel length.</p> <p><b>NOT APPROVED:</b> P226 Xpress, P220 X-Zone, P220 Sport, P226 HSP, P226 Sport, P226 Sport II SL mit Schiene, P226 X-Five, P226 X-Five Short, P226 X-Five Competition, P226 X-Five Supermatch, P226 X-Six, P226R Crimson Trace, P320 X-Five, P320 Target,</p>
<a href="#">SIGMA</a>	<p>Compact SW9V, SW40W, SW40VE, SW9VE, SW9M, SW40F, SW40C, SW9F, SW9C</p>
<a href="#">SMITH &amp; WESSON</a>	<p>39, 59, 410, 439, 459, 539, 659, 669, 908, 910, 915, 1006, 1066, 3906, 3913, 3913L, 3913TSW, 3914, 3953, 3953TSW, 4006, 4043, 4046, 4013TSW, 4053TSW, 4513TSW, 4553TSW, 457, 4506, 4516, 4566, 4586, 5903, 5903TSW, 5904, 5906, 5946, 6906, 6926, 6946</p> <p>SW99, M&amp;P9, M&amp;P9C, M&amp;P9 Pro, M&amp;P9L, M&amp;P357, M&amp;P40, M&amp;P40L, M&amp;P40 Pro, M&amp;P45, M&amp;P45C, M&amp;P40C, M&amp;P9VTAC, M&amp;P40 VTAC, M&amp;P CORE Series, M&amp;P CORE PRO Series, M&amp;P M2.0, SD 9 VE Series, M&amp;P9L Pro Series C.O.R.E, M&amp;P Shield Series, M&amp;P9TBK (but without optics fitted).</p> <p>Also approved: any DAO or DA/SA revolver with a barrel length of up to 127mm</p>
<a href="#">SPHINX</a>	<p>2000 Series (S, P, PS and H models) 3000 Series (Standard, Competition Production, Compact, Tactical, Police, SOP, Hi-Cap) All of the above in Steel, Stainless Steel, Titanium or Aluminium</p> <p>SDP Series (Compact, Compact Plus, Standard, Production) All of the above in Polymer, Steel, Stainless Steel, Titanium or Aluminium</p> <p>Also approved: variants with original Sphinx barrels which are longer than standard, provided the barrel length does not exceed 127mm, and provided all other aspects of these variants full comply with all other Production Division rules.</p>
<a href="#">SPRINGFIELD</a>	<p>P9, XD, XDS45, XDM (except ported models), XDM OSP (without optic), XD Mod.2 5" Tactical,</p>

	<b>NOT APPROVED:</b> XDM 5.25 Series, XD/XDM Production model, XD/XDM Custom Competition model
<a href="#"><u>SPS</u></a>	Compact (SP II, SP II Plus, SP III)  Police Compact (SPII, SPII Plus, SP3)
<a href="#"><u>STAR</u></a>	Megastar, M30, Ultrastar
<a href="#"><u>STEYR</u></a>	M-A1, M9-A1, M40-A1, S9, S40, L9-A1
<a href="#"><u>STI</u></a>	GP6, GP6C, GP5  Also approved: variants with original STI barrels which are longer than standard, provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules.  <b>NOT APPROVED:</b> single-action-only models
<a href="#"><u>STOEGER INDUSTRIES</u></a>	Cougar, Cougar Compact
<a href="#"><u>TANFOGLIO</u></a>	Force 38, Force 38F Carry, Force 38F, Force 38L, Force 40, Force 40F Carry, Force 40F, Force 40L, Force 40R Carry, Force 40R, Force 45, Force 45F Carry, Force 45F, Force 45L, Force 45R Carry, Force 45R, Force 921, Force 921F Carry, Force 921F, Force 921L, Force 921R Carry, Force 921R, Force 99, Force Compact 40, Force Compact 45, Force Compact 921, Force Pro, Force Plus, Force Sport, GT10, GT21 Baby, GT21 Combat, GT21, GT23, GT40 Baby, GT40 Combat, GT40, GT45, P19 Combat, P19 Standard, P19L, P21 Combat, P21L, P23, P23L, P38L, P40 Compact, P40, P40F, P40FB, P40L, P40R, P41, P45, P45L, T94F, T94R, T95F Stock, T95F, T95R, T96F, T96R, T97F, T97L, T97R, TA10 Compact, TA10, TA40FB, TA45 Compact, TA45, TA90, TA90 Combat, XL2, XL4, Stock, Stock II, Stock III, Stock III Special, L, Combat Sport, TZ-75 C90, Limited PRO, S2N, Stock I, Stock II Xtreme, Stock III Xtreme, Stock IIIP.  Stock I Optic, Stock II Optic, Stock II Xtreme Optic, Stock III Optic, Stock III Xtreme Optic, Stock IIIP Optic (but without optics fitted).  Also approved: variants with original Tanfoglio barrels which are longer than standard (e.g. Stock II Limited) provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules.  <b>NOT APPROVED:</b> Stock Custom model
<a href="#"><u>TARA</u></a>	MP9, Millennium G2, TM-9,
<a href="#"><u>TAURUS</u></a>	PT92, PT99, PT100, PT100 Plus, PT101, PT111, PT140, PT145, PT921, M66, 827, 817, PT809B, PT809E, PT809SS, PT840B, PT840SS, PT845B, PT845SS, PT917, PT917C, PT917CS, PT940  24/7, 24/7 G2, 24/7 PRO DS, 24/7 LD  Also approved: any DAO or DA/SA revolver with a barrel length of up to 127mm  <b>NOT APPROVED:</b> 24/7 PRO, 24/7 OSS
<a href="#"><u>TISAS</u></a>	Zigana F, P40



VEKTOR	SP1, SP2 (not Single Action), Z88
<a href="#">WALTHER</a>	<p>P1, PPS, P5, P38, P88, P99, P99Q, P99QA, P99C, P99DAO, P99AS</p> <p>PPQ, PPQ-Navy, P99D-RAD, PPX, PPQM2, PPQM2 Navy SD, PPQ Q5 Match, Creed,</p> <p>Also approved: compact versions of all above models</p> <p>Also approved: variants with original Walther barrels which are longer than standard provided the barrel length does not exceed 127mm, and provided all other aspects of these variants fully comply with all other Production Division rules.</p>
<a href="#">ZASTAVA</a>	CZ99, CZ999, EZ, EZ Compact
<a href="#">ZVS</a>	P20, P21,